




# 2006 Product Guide



effective September 1<sup>st</sup>, 2005

## 1. Contents:

R-Series Umbrellas • Pg. 3  
C-Series Umbrellas • Pg. 3-4  
R & C-Series Base Options Page 5  
X-Series Retractable Umbrella • Pg. 6  
R/C/X-Series Extra Bases & Accessories • Pg. 7  
P-Series Umbrellas • Pg. 8  
P-Series Series Extra Bases & Accessories • Pg. 9  
T-Series Freestanding Awnings • Pg. 10  
T-Series Series Extra Bases & Accessories • Pg. 11  
Upcharges for custom fabrics • Pg. 12  
Replacement umbrella covers • Pg. 13  
Standard 2005/06 fabrics • Pg. 14  
FIM replacement parts & components • Pg. 15-17  
PARAFLEX umbrellas & components • Pg. 18-20 



**Paragraphs marked with this symbol contain important order information. Please be sure to read it before placing your order!**

## 2. How to order:

- Select your model from the list. Please note: The item code designates the frame color and shape of canopy. This can not be changed.
- Select your cover style (valance/market).
- Specify fabric by **COLOR NUMBER**
- Select your base option
- Order with the *complete product code* (see example below) to avoid errors or misunderstandings

**C05-M-5446-DMT**

- Fax your P.O. to 604-820-4078, or call us toll-free at 1-888-551-5221

## R - Series Umbrellas

• Prices include choice of any one of four base styles (see pg. 5) • 4 standard colors (see pg. 14)

Price	Item Code	Description	Canopy Size	Standard Style
	R01	Frame Color: White Canopy: Hexagonal / 6 ribs, aluminum	9.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	R02	Frame Color: Graphite Canopy : Hexagonal / 6 ribs, aluminum	9.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	R03	Frame Color: Taupe Canopy : Hexagonal / 6 ribs, aluminum	9.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	R04	Frame Color: Taupe Canopy : Rectangular, 6 ribs, aluminum	7' x 10'	Valance

## C - Series Umbrellas

• Prices include choice of any one of four base styles (see pg. 5) • 16 standard colors (see pg. 14)

Price	Item Code	Description	Canopy Size	Standard Style
	C01TK	Frame Color: Silver, with teakwood pole section Canopy : Hexagonal / 6 ribs, aluminum (silver)	10.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	C02TK	Frame Color: Graphite, with teakwood pole section Canopy : Hexagonal / 6 ribs, Teakwood	10.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	C03	Frame Color: White Canopy : Hexagonal / 6 ribs, aluminum (white)	10.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	C04	Frame Color: White Canopy : Square / 8 ribs, aluminum (white)	9.5' Square	Valance

continued →

## C - Series Umbrellas - continued

• Prices include choice of any one of four base styles • 16 standard colors (see pg. 14)

Price	Item Code	Description	Canopy Size	Standard Style
	C05	Frame Color: Graphite Canopy : Hexagonal / 6 ribs, aluminum (graphite)	10.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	C06	Frame Color: Taupe Canopy : Hexagonal / 6 ribs, aluminum (taupe)	10.5' Rib Span	Market

Price	Item Code	Description	Canopy Size	Standard Style
	C07	Frame Color: White Canopy : Oval / 8 ribs, aluminum (white)	8' x 12'	Valance

Price	Item Code	Description	Canopy Size	Standard Style
	C08	Frame Color: Graphite Canopy : Oval / 8 ribs, aluminum (graphite)	8' x 12'	Valance

Price	Item Code	Description	Canopy Size	Standard Style
	C08TK	Frame Color: Graphite, with teakwood pole section Canopy : Oval / 8 ribs, aluminum (graphite)	8' x 12'	Valance

Price	Item Code	Description	Canopy Size	Standard Style
	C09	Frame Color: Graphite Canopy : Square / 8 ribs, aluminum (graphite)	9.5' Square	Valance

Price	Item Code	Description	Canopy Size	Standard Style
	C09TK	Frame Color: Graphite, with teakwood pole section Canopy : Square / 8 ribs, aluminum (graphite)	9.5' Square	Valance



## Base Options for R&C-Series

- Note that **ONE** of the following is **INCLUDED** in above prices – please specify !
- If no code is specified, umbrella will be shipped with FSB by default!
- An upcharge applies to FSB/OS – see below!

<b>FSB</b>	<p><b>FREESTANDING BASE</b></p> <p>Powdercoated steel base frame with adjustable extensions to accept 18” or 20” square patio pavers as weights. <b>Minimum recommended weight is 200 lbs., NOT recommended in windy areas.</b> This is the standard base for all C / R-Series umbrellas.</p>
<b>DMT</b>	<p><b>DECKMOUNT PLATE</b></p> <p>10” dia. x ½” thick aluminum plate to be mounted to any solid, even surface with 4 – 3/8” bolts. Umbrella support tube is quickly removable from the plate. <b>Recommended in windy areas.</b></p>
<b>GIB</b>	<p><b>GROUND INSERT BASE</b></p> <p>Stainless steel sleeve to be cemented into the ground. Umbrella support tube is quickly removable from the top plate to leave a totally flush surface <b>Recommended in windy areas.</b></p>
<b>SPB</b>	<p><b>SPA BASE</b></p> <p>Powdercoated steel plate slides 18” underneath a spa and is held by its weight. Requires bolting the upright plate to the spa skirting for stability. May not work correctly on skirtings with a bottom lip, or with insufficient backing. This base works best with R-series umbrellas, as <b>C-series umbrellas will lose 180° rotation!</b></p>
<b>FSB/OS</b>	<p><b>FREESTANDING BASE – OFFSET</b></p> <p>2-piece aluminum base frame for use with 20” square patio pavers only. Provides extra space in front of the umbrella pole, as all the weight is offset to the back. Base size is 20” x 42”. Requires min. 4 pavers / 240lbs. <b>NOT recommended in windy areas. Add \$109.- to umbrella price (includes extra shipping cost)</b></p>

## X –Economy Series Retractable Umbrella

• 4 standard colors (see pg. 14) • choice of any one of three base options **included**

Price	Item Code	Description	Canopy Size	Standard Style
	X5/TE X5/GE	Frame in color: • X5/TE – taupe • X5/GE - graphite Canopy : Octagonal / 8 ribs, aluminum	11' Rib Span	Valance

## X –Series Retractable Umbrella

• 16 standard colors (see pg. 14) • choice of any one of three base options **included**

Price	Item Code	Description	Canopy Size	Standard Style
	X5/T X5/G	Frame in color: • X5/T – taupe • X5/G - graphite Canopy : Octagonal / 8 ribs, aluminum	11' Rib Span	Valance

## Base Options for X-Series

- Note that **ONE** of the following is **INCLUDED** in above prices – please specify !
- If no code is specified, umbrella will be shipped with FSB by default!
- *An upcharge applies to FSB/OS – see below!*

<b>FSB</b>	<p align="center"><b>FREESTANDING BASE</b></p> <p>Powdercoated steel base frame with adjustable extensions to accept 18” or 20” square patio pavers as weights. <b>Minimum recommended weight is 200 lbs., NOT recommended in windy areas.</b> This is the standard base for all X-Series umbrellas.</p>
<b>DMT</b>	<p align="center"><b>DECKMOUNT PLATE</b></p> <p>10” dia. x ½” thick aluminum plate to be mounted to any solid, even surface with 4 – 3/8” bolts. Umbrella support tube is quickly removable from the plate. <b>Recommended in windy areas.</b></p>
<b>GIB</b>	<p align="center"><b>GROUND INSERT BASE</b></p> <p>Stainless steel sleeve to be cemented into the ground. Umbrella support tube is quickly removable from the top plate to leave a totally flush surface <b>Recommended in windy areas.</b></p>
<b>SPB</b>	<p align="center"><b>SPA BASE</b></p> <p>Powdercoated steel plate slides 18” underneath a spa and is held by its weight. Requires bolting the upright plate to the spa skirting for stability. May not work correctly on skirtings with a bottom lip, or with insufficient backing.</p>
<b>FSB/OS</b>	<p align="center"><b>FREESTANDING BASE – OFFSET</b></p> <p>2-piece aluminum base frame for use with 20” square patio pavers only. Provides extra space in front of the umbrella pole, as all the weight is offset to the back. Base size is 20” x 42”. Requires min. 4 pavers / 240lbs. <b>NOT recommended in windy areas. Add \$109.- to umbrella price (includes extra shipping cost)</b></p>

# R / C / X - Series - Extra Umbrella Bases & Accessories

- Individual umbrella bases are priced WITHOUT the round base support tube (BST), as this is part of the umbrella.
- Item BST must be ordered separately, if required!

Price	Item Code	Description
	FSB	Freestanding Base (without base tube, please specify frame color)

Price	Item Code	Description
	DMT	Deckmount Plate (without base tube)

Price	Item Code	Description
	GIB	Ground Insert Base (without base tube)

Price	Item Code	Description
	SPB	Spa Base (without base tube)

Price	Item Code	Description
	FSB/OS	Offset Freestanding Base (without base tube, please specify frame color)

Price	Item Code	Description
	BST/R • BST/C • BST/X	Base Tube with Rotation Disk and Locking Pin <b>Umbrella model must be specified when ordering !</b>

Price	Item Code	Description
	PTC	C / R -Series Protective Umbrella Cover, SUNBRELLA Awning fabric, grey <b>Umbrella model must be specified when ordering !</b>

Price	Item Code	Description
	PTC/X	X -Series Protective Umbrella Cover, SUNBRELLA Awning fabric, grey

Price	Item Code	Description
<b>\$45</b>	BWT	Set of 4 fillable, pie-shaped weights for freestanding base. Interlocking segments create a round base measuring 40" dia. x 4 1/2" high

Price	Item Code	Description
	TILT/R	Addition of Tilt Mechanism (R-series only)

Price	Item Code	Description
	VAL/R or VENT/R	Upcharge for valances <b>or</b> added wind vent on R01/02/03 Umbrella

# P - Series Umbrellas

• Item code designates the umbrella base included in the price • 16 standard colors (see pg. 14)

Price	Item Code	Description	Style
	P18 • P19 • P20 • P21 /GIB	Any model shown left, with <i>Ground Insert Base</i>	Valance

Price	Item Code	Description	Style
	P18 • P19 • P20 • P21 /DMT	Any model shown left, with <i>Deckmount Plate</i>	Valance

Price	Item Code	Description	Style
	P18 • P19 • P20 • P21 /FSB	Any model shown left, with <i>Freestanding Base and Planter Kit PLT/P</i>	Valance

Price	Item Code	Description	Style
	P22 • P23 • P24 /GIB	Any model shown left, with <i>Ground Insert Base</i>	Valance

Price	Item Code	Description	Style
	P22 • P23 • P24 /DMT	Any model shown left, with <i>Deckmount Plate</i>	Valance

Price	Item Code	Description	Style
	P22 • P23 • P24 /FSB	Any model shown left, with <i>Freestanding Base and Planter Kit PLT/P</i>	Valance



## P-Series Model Description

	P18	P19	P20	P21	P22	P23	P24
<b>Canopy Size</b>	10' x 13'	10' x 13'	13'	13'	10'	11.5'	10' x 10'
<b>Canopy Shape</b>	Rectangular	Rectangular	Octagonal	Octagonal	Octagonal	Octagonal	Square
<b>Vertical Pole</b>	Teak	Aluminum	Aluminum	Teak	Aluminum	Aluminum	Aluminum
<b>Umbrella Ribs</b>	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
<b>Opens with</b>	Crank	Crank	Crank	Crank	Crank	Crank	Crank



## Base Options for P-Series

• Please note: Item Code identifies which umbrella base is included in the price

<b>FSB/P</b>	<p><b>FREESTANDING OFFSET BASE</b></p> <p>Rigid welded aluminum base frame, size 22" x 42" x 4". When ordered as a complete umbrella, price <b>includes</b> wood planter set. If used without planters 8 – 20"x 20"x 2" stepping stones are required. Deduct \$99.- if planter kit is not required.</p> <p><b>Minimum required weight is 400 lbs., NOT recommended in windy areas.</b></p>
<b>DMT/P</b>	<p><b>H/D DECKMOUNT PLATE</b></p> <p>16" dia. x 1/4" thick steel plate, powdercoated in silver color to be mounted to any solid, even surface with 6 – 3/8"x 4" bolts (not included). Umbrella support tube is quickly removable from the plate to eliminate a possible tripping hazard.</p> <p><b>Recommended in windy areas and for contract installations.</b></p>
<b>GIB</b>	<p><b>GROUND INSERT BASE</b></p> <p>Stainless steel sleeve to be cemented into the ground. Umbrella support tube is quickly removable from the top plate to eliminate a possible tripping hazard.</p> <p><b>Recommended in windy areas and for contract installations.</b></p>

## P - Series - Extra Umbrella Bases & Accessories

- Individual umbrella bases are priced **WITHOUT** the round base support tube (BST/P), as this is part of the umbrella.
- Item BST/P must be ordered separately, if required!

Price	Item Code	Description
	FSB/P	Rigid Freestanding Base Frame (without base tube or planter kit) for P & T-Series

Price	Item Code	Description
	DMT/P	H/D 16" Deckmount Plate (without base tube) for P & T-Series

Price	Item Code	Description
	GIB	Ground Insert Base (without base tube)

Price	Item Code	Description
	BST/P	P-Series Base Tube with Rotation Disk and Locking Pin

Price	Item Code	Description
	PLT/P	Planter Kit only – 2 wood planters 20" x 20" x 16" ea. to fit FSB/P (for use with T16 • T18 and P-Series only)

Price	Item Code	Description
	MLD20	Re-usable ABS Plastic mold to make 20"x 20"x 2" square concrete stepping stones for use in FSB/P and FSB/OS

Price	Item Code	Description
	PTC/P	P-Series Protective Umbrella Cover, SUNBRELLA grey <b>Specify umbrella model with order!</b>

## T - Series 8'x12' Freestanding Awnings

- 16 standard colors (see pg. 14) • choice of any one of three base options included
- Item Code designates color of poles

Price	Item Code	Description	Canopy Size	Standard Style
	T12/T13/T15 With FSB	Cantilevered poles in color: • T12 – white • T13 – taupe • T15 - graphite . Canopy: Rectangular with <b>single</b> crossbar	8' x 12'	Valance*

Price	Item Code	Description	Canopy Size	Standard Style
	T12/T13/T15 With DMT	Cantilevered poles in color: • T12 – white • T13 – taupe • T15 - graphite . Canopy: Rectangular with <b>single</b> crossbar	8' x 12'	Valance*

Price	Item Code	Description	Canopy Size	Standard Style
	T12/T13/T15 With GIB	Cantilevered poles in color: • T12 – white • T13 – taupe • T15 - graphite . Canopy: Rectangular with <b>single</b> crossbar	8' x 12'	Valance*

## T - Series 10'x15' Freestanding Awnings

- 16 standard colors (see pg. 14) • choice of any one of three base options included
- Item Code designates color of poles

Price	Item Code	Description	Canopy Size	Standard Style
	T16/T18 with FSB	Cantilevered poles in color: • T16 – taupe • T18 - graphite . Canopy: Rectangular with <b>double</b> crossbar	10' x 15'	Valance*

Price	Item Code	Description	Canopy Size	Standard Style
	T16/T18 with DMT	Cantilevered poles in color: • T16 – taupe • T18 - graphite . Canopy: Rectangular with <b>double</b> crossbar	10' x 15'	Valance*

Price	Item Code	Description	Canopy Size	Standard Style
	T16/T18 with GIB	Cantilevered poles in color: • T16 – taupe • T18 - graphite . Canopy: Rectangular with <b>double</b> crossbar	10' x 15'	Valance*

\*NO OTHER OPTION

## Base Options for T-Series

- Note that **ONE** of the options below is **INCLUDED** in above prices – please specify !
- If no code is specified, umbrella will be shipped with **FSB** by default!

<b>FSB/T</b>	<p><b>FREESTANDING BASE for T-series</b>                  Offset rigid aluminum base frames for use with 20” square patio pavers only. Base size is 20” x 42”.  <b>Requires min. 6 pavers / 300lbs. PER SIDE, NOT recommended in windy areas.</b>                  This is the standard base for T16 • T18.</p>
<b>DMT/T</b>	<p><b>H/D DECKMOUNT PLATE for T-series</b>                  16” dia. x 1/4” thick steel plates, powdercoated in silver color to be mounted to any solid, even surface with 6 – 3/8”x 4” bolts (not included). Awning support tubes are quickly removable from the plates to eliminate a possible tripping hazard.  <b>Recommended in windy areas and for contract installations.</b></p>
<b>GIB</b>	<p><b>GROUND INSERT BASE for T-series</b>                  Stainless steel sleeves to be cemented into the ground. Awning support tubes are quickly removable from the top plates to leave a totally flush surface  <b>Recommended in windy areas.</b></p>

## T - Series - Extra Umbrella Bases & Accessories

- Individual umbrella bases are priced **WITHOUT** the base support tube (BST/P), as this is part of the awning.
- Item BST/T must be ordered separately, if required!

Price	Item Code	Description
	FSB/T	Rigid Freestanding Base Frame (without base tube or planter kit) for T-Series <b>Specify awning model with order !</b>

Price	Item Code	Description
	DMT/T	H/D 16” Deckmount Plate (without base tube) for T-Series

Price	Item Code	Description
	GIB	Ground Insert Base (without base tube)

Price	Item Code	Description
	BST/T	T-Series Base Tube – <b>specify awning model with order !</b>

Price	Item Code	Description
	PLT/T	Planter Kit only – 2 wood planters 20” x 20” x 16” ea. to fit FSB/T 2 kits required per awning !

Price	Item Code	Description
	PTC/T	T-Series Protective Umbrella Cover, SUNBRELLA grey <b>Specify awning model with order !</b>

# Custom Fabric Upcharges

Chose any Sunbrella Furniture Fabric® • Lead time may increase by 5 to 10 business days

Price	Item Code	Description
	CFC/R	Upgrade any <i>R-Series</i> canopy from our 4 stock colors to any other color
Price	Item Code	Description
	CFC/C1	Upgrade <i>C-Series</i> hexagonal / 6 rib <b>market</b> style canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/C2	Upgrade <i>C-Series</i> hexagonal / 6 rib <b>valance</b> style canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/C3	Upgrade <i>C-Series</i> <b>square</b> or <b>oval</b> canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/X1	Upgrade <i>X-Series</i> canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/T1	Upgrade <i>T-Series</i> 8' x 12' canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/T2	Upgrade <i>T-Series</i> 10' x 15' canopy from our current stock colors to any other color
Price	Item Code	Description
	CFC/P	Upgrade any <i>P-Series</i> umbrella from our current stock colors to any other color
Price	Item Code	Description
	COM	Customer's own material on any FIM Umbrella. Material must be min. 54" wide. Please call for required yardage.


## Replacement Umbrella Covers (stock colors)

Price	Item Code	Cover Description
	Cvr-RHM	Market style cover for R-Series 9.5' hexagon as well as Paraflex
	Cvr-RRV	Valance style cover for R-Series 7'x 10' rectangular
	Cvr-CHM	Market style cover for C-Series 10.5' hexagon
	Cvr-CHV	Valance style cover for C-Series 10.5' hexagon
	Cvr-CSV	Valance style cover for C-Series 9.5' square
	Cvr-COV	Valance style cover for C-Series 8'x 12' oval
	Cvr-XO	Market or valance style cover for X-Series 11' octagonal
	Cvr-PSM	Market or valance style cover for P-Series 10' or 11.5' octagonal, or 10' square
	Cvr-PLG	Market or valance style cover for P-Series 10'x13' rectangular or 13' octagonal
	Cvr-T8X12	Valance style cover for T-Series 8'x12' (T12/T13/T15)
	Cvr-T10X15	Valance style cover for T-Series 10'x15' (T16/T18)

## Stock Colors 2005/06 Season

Models	Fabric type	Stock colors
X5E Economy Model	Glen Raven <b>SunSharp</b> Acrylic	1099 Colorado 7510 Black 7519 Parchment 7520 Sand
R-Series	<b>Sunbrella</b> Furniture Fabric	5422 Antique Beige 5439 Navy 5446 Forest Green 5461 Taupe
C-Series P-Series T-Series X-Series PARAFLEX	<b>Sunbrella</b> Furniture Fabric	5401 Pacific Blue 5404 Natural 5405 Parrot 5408 Black 5410 Air Blue 5422 Antique Beige 5439 Navy 5446 Forest Green 5453 Canvas 5461 Taupe 5476 Heather Beige 5487 Fern 5488 Teak 8318 Sesame Linen 8319 Stone Linen 8013 Dupione Bamboo

# FIM Replacement Parts - for C and R Series



Price	Item Code	Part Description
	M1	Hardware bag for freestanding base
	A1	Center base cross – bottom notched
	B1	Center base cross – top notched
	B2	Base cross extensions (4 per base)
	C1	Base tube with stamped bottom plate
	O1	Nylon cover plate for base bolts
	O2	Nylon rotation disk with holes for locking pin
	U1	Brass rotation locking pin
	Q1	Tilt mechanism complete, to insert into cantilever pole extrusion
	P1	S/S Bolt 5/16"x3 1/4", nut & washer to connect upright and cantilever pole
	R1	Top casting nylon with pulley
	V1	Locking screw for s/s cable loop – <i>nylon hubs only</i>
	V2	Locking screw for s/s cable loop – <i>wood hubs only</i>
	X1	Attachment tab to fasten umbrella cover to rib ends (complete set)
	J1	Center tube with conical end cap
	J2	Rubber seal ring for center tube
	J3	Rib spreader / stopper ring for center tube
	V4	S/S fastening bolt 1/4" x 2 1/2" with locking nut and washer, for top casting
	Y1	Bottom hub
	Y2	Top hub
	Y3	Welded wire ring – <i>nylon hubs only</i>

## - for R Series only

Price	Item code	Description
	D2	Upright pole
	E2	Cantilever pole
	S2	Elbow, black or white
	GZ	String with handle
	D3	Bottom sleeve for wood pole
	D4	Wood pole for R02
	W04	Aluminum rib for 9'6" hexagonal canopy
	W05	Long corner rib for R04, taupe 70 1/2"
	W06	Short center rib for R04, taupe 39 1/2 "

**continued →**

**Need parts diagrams?  
Go to [www.fim-umbrella.com](http://www.fim-umbrella.com) to download!**

## FIM Replacement Parts - for C Series only

Price	Item Code	Part Description
	D1	Upright pole
	S1	Corner pulley for upright pole
	TD2	Aluminum elbow for top of upright pole – <i>C02 Tuscany only</i>
	TD3	Wood pole section for upright pole – <i>C02 Tuscany only</i>
	TD4	Angled pole bottom section to fit over base tube – <i>C02 Tuscany only</i>
	E1	Cantilever pole – aluminum extrusion only
	G1	Crank box with S/S cable, complete
	G2	Crank box plastic cover only, with aluminum face plate
	H1	Crank handle
	T1	Knob to attach crank box
	N1	Tilt adjustment key complete with nylon handle and string
	N2	Nylon handle <i>only</i> for tilt key
	L1	Rain cap
	I1	Removable Rain Cap Rod
	REA	Nylon insert for aluminum rib – with attachment screw for umbrella cover
	REH	Nylon insert for aluminum rib – slotted hook end, connecting rib to hub
	RER	Nylon insert for aluminum rib – strut to rib connection, with bolt to replace rivet
	W01	Aluminum rib 62.5” for C- Series 10.5’/ 6 rib umbrellas, complete with strut
	W02	Long aluminum rib 75 ¼” for C04/C07/C08, complete with strut
	W03	Short aluminum rib 54” for C04/C07/C08, complete with strut
	TWR	Wood rib 63” for C02 Tuscany , complete with strut
<b>-.10</b>	TWN	Brass cap nut to attach umbrella cover – <i>C02 Tuscany only</i>

## - for P Series

Price	Item Code	Part Description
	PD4	Angled pole bottom section to fit over base
	PD3	Upright post teak section only
	D3	Upright post aluminum
	E4	Aluminum elbow for top of upright pole
	E3	Cantilever pole
	Y4	Center hub(top)
	Y5	Center hub(bottom)
	J3	Center tube with conical end cap and stop
	H1	Crank handle
	G3	Crank box complete with cable
	C3	Base tube with stamped bottom plate
	O1	Nylon cover plate for base bolts (=Adapter)
	O3	Nylon rotation disc with holes for locking pin
	U1	Brass rotation locking pin

**Need parts diagrams?  
Go to [www.fim-umbrella.com](http://www.fim-umbrella.com) to download!**

## FIM Replacement Parts - for P-Series - continued

Price	Item Code	Part Description
	R3	Top aluminum casting with pulley
	W-A	P18/P19 long corner rib 96"
	W-B	P18/P19 long center rib 77"
	W-C	P18/P19 short center rib 59"
	W-D	P18/P19 short center rib 59" with stabilizer
	W-E20	P20/P21 rib
	W-F20	P20/P21 rib with stabilizer
	REA	Nylon terminal for aluminum rib-with attachment screw for umbrella cover
	REH	Nylon terminal for aluminum rib-slotted hook end, connecting rib to hub
	RER	Nylon terminal for aluminum rib-strut to rib connection, with bolt to replace rivet

## - for T-Series

Price	Item Code	Part Description
	BT1	Base tube, square with bottom plate, for models T12/T13/T15
	OT1	Aluminum casting with locking teeth, cantilever pole end, for models T12/T13/T15
	RT1	Aluminum casting with locking teeth and threaded stud, for models T12/T13/T15
	PTL1	Nylon runner for single crossbar with locking screw, for models T12/T13/T15
	PT1	Nylon runner for single crossbar, for models T12/T13/T15
	IET1	Internal elbow for cantilever pole, for models T12/T13/T15
	IT1	Upright pole, for models T12/T13/T15
	LT1	Cantilever pole, with cleat and aluminum casting, for models T12/T13/T15
	CT1	2-Piece crossbar 155" long, with end castings and connector sleeve, for models T12/T13/T15
	XT1	Aluminum rib, for models T12/T13/T15
	BT2	Base tube, square with bottom plate, for models T16/T18
	OT2	Aluminum casting with locking teeth, cantilever pole end, for models T16/T18
	RT2	Aluminum casting with locking teeth and threaded stud, for models T16/T18
	PTL2	Nylon runner for dual crossbar with locking screw, for models T16/T18
	PT2	Nylon runner for dual crossbar, for models T16/T18
	IET2	Internal elbow for cantilever pole, for models T16/T18
	IT2	Upright pole, for models T16/T18
	LT2	Cantilever pole, with cleat and aluminum casting, for models T16/T18
	CT2	2-Piece crossbar 180" long, with end castings and connector sleeve, for models T16/T18
	XT2	Aluminum rib, for models T16/T18
	YT	Tensioning spring, for all models
	ZT	Locking handwheel for canopy, for all models

**Need parts diagrams?  
Go to [www.fim-umbrella.com](http://www.fim-umbrella.com) to download!**